


The Original Hot Tub

To locate a dealer near you,

MAAX[®] Spas Industries Corp. All rights reserved 25605 S. Arizona Avenue Chandler AZ 85248

°2015 MAAX® Spas Industries Corp. All rights reserved.
California Cooperage® is a registered trademark of MAAX® Spas Industries Corp. Manufactured by MAAX® Spas Industries Corp.
Specifications subject to change without notice. Spas shown at various percentages of actual size.
The Original Hot Tub. Thermool ock. DuraMaax, and BlueMAAX are official trademarks of MAAX® Spas Industries Corp.





Plug & Play M50 Hot tubs

The new M Series hot tubs from California Cooperage® are affordable and beautiful. The modern acrylic construction makes them easy to maintain and durable. Simple to setup and use, your new M Series hot tub will relax away your everyday stresses with its plug and play design. All you need to do is plan, place, plug it in and you are ready to relax.





15' GFCI Cord included on North American Models



STRUCTURAL FEATURES

Dimensions	
Depth	
Seating Capacity	
Water Capacity	
Weight – Empty	540 lbs
Weight – Filled	2660 lbs
Thermo-Plastic Siding	Yes

STANDARD FEATURES

BlueMAAX® GREEN Insulation	.Yes
Programmable Filter CyclesYes,	Ltd.
Drinkholders	3
Molded Grab Bars	.Yes
Stainless Steel Jets	.Yes

THERAPY FEATURES

Pump11.0Hp	115V, 2Sp
Electrical Req. (3-Wire)	.120V/15A
GFCI Cord	15 f
Jet Total	22

Specifications subject to change without prior notice.

M-Series Cabinets

Thermo-Plastic SidingEcologically friendly, high impact resistant, with the real wood grain pattern, doesn't weather or stain,

and is virtually maintenance free.



M61



M71



STRUCTURAL FEATURES

Dimensions	79" x 72"
Depth	29"
Seating Capacity	4
Water Capacity	
Weight – Empty	445 lbs
Weight – Filled	2550 lbs
Lounge	1
Thermo-Plastic Siding	Yes

STANDARD FEATURES

BlueMAAX® GREEN Insulation	Ye
Programmable Filter Cycles	es, Ltd
Drinkholders	
Molded Grab Bars	Yes
Stainless Steel Jets	Yes

THERAPY FEATURES

Pump1	5V, 2S
Electrical Req. (3-Wire)12	20V/15/
GFCI Cord	15
Jet Total	2

Specifications subject to change without prior notice.

STRUCTURAL FEATURES

Dimensions	3" x 73"
Depth	34"
Seating Capacity	5
Water Capacity290	
Weight – Empty	495 lbs
Weight – Filled	890 lbs
Lounge	1
Thermo-Plastic Siding	Yes

STANDARD FEATURES

BlueMAAX® GREEN Insulation	.Ye
Programmable Filter CyclesYes,	Ltd
Drinkholders	
Molded Grab Bars	.Ye
Stainless Steel Jets	Ye

THERAPY FEATURES

Pump1	115V, 2S
Electrical Req. (3-Wire)	.120V/15
GFCI Cord	15
Jet Total	2

Specifications subject to change without prior notice.

Color Combinations

M Series models are available in two color combinations.









Option 1 = Silver Marble/Gray.

Option 2 = Sahara/Mocha.

101

102





STRUCTURAL FEATURES

Dimensions	.84" x 48"
Depth	30"
Seating Capacity	2
Water Capacity1	
Weight – Empty	396 lbs
Weight – Filled	.1364 lbs
DuraMaax™ Cabinetry	Yes
Treated Wooden Frame	Yes

STANDARD FEATURES

DIUGINIAAA GILLIN IIISUIAIIOIT	103
Programmable Filter Cycles	Yes, Ltd.
Drinkholders	2
Molded Grab Bars	Yes

THERAPY FEATURES

Pump11.	.0Hp 115V, 2Sp
Electrical Req. (3-Wire)	120V/15A
GFCI Cord	
Jet Total	
Head Cushions	

OPTIONAL FEATURES

Stainless Steel Jets	Yes
CleanZone™	Yes

STRUCTURAL FEATURES

Dimensions	/8 X 00.5
Depth	
Seating Capacity	
Water Capacity	140 gallons
Weight – Empty	
Weight – Filled	
Lounge	
DuraMaax™ Cabinetry	
Treated Wooden Frame	Yes

STANDARD FEATURES

BlueMAAX® GREEN Insulation	.Yes
Programmable Filter CyclesYes	Ltd.
Orinkholders	2
Molded Grab Bars	.Yes

THERAPY FEATURES

Pump1	1.5Hp/2.8b	bHp, 115V, 2Sp
Electrical Requirements	(3-Wire)	120V/20A/40A
	(4-Wire)	.240V/30A/50 <i>A</i>
Jet Total		
Head Cushions		

OPTIONAL FEATURES

tainless Stee	١٠	Je	ts	6													.`	Yе	S	
leanZone™																		Ύе	s	



Shown with stainless steel option

STRUCTURAL FEATURES

Dimensions	.81" Diameter
Depth	
Seating Capacity	5
Water Capacity	240 gallons
Weight – Empty	
Weight – Filled	2555 lbs
Waterfall	Yes
DuraMaax™ Cabinetry	Yes
Steel Frame	Yes

STANDARD FEATURES

BlueMAAX® GREEN	Insulati	on .			.Yes
Programmable Filter	Cycles			.Yes,	Ltd
Drinkholders					4

THERAPY FEATURES


rumpi	\dots
Electrical Requirements	(3-Wire) 120V/20A/40A
	(4-Wire)240V/30A/50A
Jet Total	

OPTIONAL FEATURES

Illuminated Waterfall											Yes
Stainless Steel Jets .											Yes
CleanZone™											Yes

Specifications subject to change without prior notice.

Illuminated Waterfall



The illuminated waterfall sets the stage for an evening of relaxation or romance. The waterfall is not only soothing to watch but also provides the tranquil feeling of water cascading across your neck and shoulders.







CleanZone™ II UV System

Next Level Sanitization

CleanZoneTM II uses the power of UVC light, the same technology utilized in many communities around the world to purify drinking water. CleanZoneTM II kills 99.9% of microorganisms, bacteria, viruses and parasites. This system is the perfect blend of hygiene, purity and technology. California Cooperage[®] models 311 - 381 now come with the CleanZoneTM II option.

CleanZoneTM

CleanZoneTM water purification system will automatically maintain healthy, crystal clear water while greatly reducing chemical maintenance.

CleanZoneTM is an ozone system that oxides and cleans your hot tub's water.







Filtration

The water maintenance of your spa is made easy by the features of the California Cooperage's balanced filtration system. Water is drawn into the system from the upper skimmer and lower footwell areas. 100% of the hot tub water is filtered before reaching the **PowerworksTM 56 frame pump** as our high volume filter cycle cleans your spa water 4 to 6 times per hour.






Advanced Controls

An advanced programmable, state of the art spa controller provides the ultimate in ease of use, reliability and efficiency. The **Powerworks™ with**M7 technology is a revolutionary new hardware/software platform that completely eliminates mechanical sensor switches and remote through-wall temperature sensors.

The M7 platform features two identical solid state sensors that mount inside the heater manifold. These "Smart Sensors" accurately and reliably measure water temperature while monitoring critical water conditions without the

possibility of failure due to mechanical switch

malfunction.



BlueMAAX[™]

California Cooperage® hot tubs insulation system incorporates the green building material BlueMAAX™. This insulation system surpasses the California Energy Commission's standard by up to 20%. BlueMAAX™ utilizes eco-friendly insulation made from recycled fiber approved by the U.S. Green Building Council. The insulation contains no chemical irritants and is treated with a mineral based solution to prevent mold/mildew growth, pest infestation and acts as a fire retardant. The new energy system also allows for easy service access and can be taken out and put back together right in your backyard.



311

The Model 311 features the perfect combination of lounge and bucket seating for larger groups while maintaining all the benefits of hydrotherapy. Massage away stress and relax in the comfort of your own backyard.



Shown with optional features.

Programmable Filter CyclesYes

Drinkholders4

STRUCTURAL FEATURES

Dimensions	82.5" x 82.5"
Depth	
Seating Capacity	
Water Capacity	315 gallons
Weight – Empty	745 lbs
Weight – Filled	3265 lbs
Lounge	
DuraMaax™ Cabinetry	Yes
Treated Wooden Frame	Yes
BlueMAAX® GREEN Insulation	Yes

THERAPY FEATURES

Pump1		3.01	Hp/6.0	bHp, i	240V,	2S
Electrical Require	ements	(4-Wire	e)	.240\	//30A/	50/
Jet Total						34
Head Cushions .						3
Calf Jets						.Yes

PREMIUM FEATURES

LED Lighting System	
OPTIONAL FEATURES	
Neck Relief Station	.Yes
MP3/Bluetooth Music System	.Yes
Stainless Steel Jets	.Yes
Blower with 14 air jets	.Yes
CleanZone™	.Yes
CleanZone™ II UV System	.Yes

Specifications subject to change without prior notice.



370

The Model 370 includes a 2-pump system with 41 jets. The power of these two pumps allows for a deeper, more powerful massage to ease away stress and relax those tense muscles.



STRUCTURAL FEATURES

Dimensions
Depth35
Seating Capacity
Water Capacity
Weight – Empty
Weight – Filled
Footwell JetYes
DuraMaax™ CabinetryYes
Treated Wooden FrameYes
BlueMAAX® GREEN Insulation Yes

THERAPY FEATURES

III III III III III III III III III II
Pump12.5Hp/5.0bHp, 240V, 2Sp
Pump22.5Hp/5.0bHp, 240V, 1Sp
Electrical Requirements (4-Wire) 240V/40A/50A/60A3
Jet Total
Head Cushions
Shipton "Aguaroscura" Maccago Sopt Voc

PREMIUM FEATURES

Programmable Filter Cycles	.Yes, Ltd.
Drinkholders	4
LED Lighting System	Yes
Illuminated Waterfall	Yes

OPTIONAL FEATURES

MP3/Bluetooth Music System	.Yes
Stainless Steel Jets	.Yes
Blower with 10 air injectors	.Yes
CleanZone™	.Yes
CleanZone™ II UV System	.Yes

^{*}When equipped with blower.

371

The Model 371 comes with two pumps and 41 therapy jets to melt away daily stress. For moments alone or time spent with family and friends, the 371 is the model of choice.



STRUCTURAL FEATURES

Dimensions	82.5" x 82.5'
Depth	
Seating Capacity	6 6
Water Capacity	
Weight – Empty	
Weight – Filled	3265 lbs
Lounge	
DuraMaax™ Cabinetry	
Treated Wooden Frame	Yes
BlueMAAX® GREEN Insulation	Yes
THERAPY FEATURES	3

Pump1	SĮ
Pump22.5Hp/5.0bHp, 240V, 15	Sį
Electrical Requirements (4-Wire) 240V/40A/50A/60	A
Jet Total	4
Head Cushions	3
Footwell JetsYo	e
Calf Jets	e
Shipter "Agricoccuro" Maccago Sopt	

PREMIUM FEATURES

Programmable Filter Cycles	.Yes, Ltd.
Drinkholders	4
LED Lighting System	Yes
Illuminated Waterfall	Yes

OPTIONAL FEATURES

Neck Relief Station	.Yes
MP3/Bluetooth Music System	.Yes
Stainless Steel Jets	.Yes
Blower with 10 air injectors	.Yes
CleanZone™	.Yes
CleanZone™ II UV Svstem	.Yes

*When equipped with blower. Specifications subject to change without prior notice.

380

The Model 380 is the largest of the California Cooperage® Series with a roomy interior designed to fit up to 7 adults. With two pumps and 45 jets throughout, this spa is the perfect blend of power and spacious design.



Shown with optional features.

STRUCTURAL FEATURES

Difficusions X 31
Depth
Seating Capacity6-
Water Capacity400 gallons
Weight – Empty
Weight – Filled
Footwell JetYe
DuraMaax™ Cabinetry Yes
Treated Wooden FrameYes
BlueMAAX® GREEN Insulation Yes

THERAPY FEATURES

Pump1	2.5H	p/5.0bl	Ηр, 2	240V	/, 2Sp
Pump2					
Electrical Requirements	(4-Wire)	240V/	40A	/50A	/60A
Jet Total					45
Head Cushions					4
Shiatsu "Acupressure" M	lassage S	Seat .			Yes

PREMIUM FEATURES

Programmable Filter Cycles	Yes, Ltd.
Drinkholders	4
Molded Grab Bars	Yes
LED Lighting System	Yes
Illuminated Waterfall	Yes

OPTIONAL FEATURES

Neck Relief StationY	es
MP3/Bluetooth Music System	es
Stainless Steel Jets	es
Blower with 10 air injectors	'es
CleanZone™Y	'es
CleanZone™ II UV System	'es

^{*}When equipped with blower.

381

The Model 381 offers something for everyone with bench seating and a fully reclined lounge seat. There are 45 jets positioned throughout the spa for varying types of massages.



Shown with optional features.

STRUCTURAL FEATURES

Dimensions
Depth
Seating Capacity
Water Capacity395 gallons
Weight – Empty
Weight – Filled
Lounge
Footwell JetYes
DuraMaax™ Cabinetry Yes
Treated Wooden FrameYes
BlueMAAX® GREEN Insulation Yes

THERAPY FEATURES

INEKAP I FEATORES
Pump12.5Hp/5.0bHp, 240V, 2Sp
Pump22.5Hp/5.0bHp, 240V, 1Sp
Electrical Requirements (4-Wire) 240V/40A/50A/60A*
Jet Total
Head Cushions
Calf Jets Yes
Shiatsu "Acupressure" Massage SeatYes

PREMIUM FEATURES

Programmable Filter CyclesY	e/
Drinkholders	
LED Lighting SystemY	e/e
Illuminated Waterfall Y	e.

OPTIONAL FEATURES

Neck Relief Station	.Yes
MP3/Bluetooth Music System	.Yes
Stainless Steel Jets	.Yes
Blower with 10 air injectors	.Yes
CleanZone™	.Yes
CleanZone™ II UV System	.Yes

^{*}When equipped with blower.

Specifications subject to change without prior notice.

Specifications subject to change without prior notice.